

<Conference abbreviation>

<Conference Series name>

<Volume number and Year> <DOI Number>

---

# An IoT-Enabled Smart Cap for the Blind: Echo Vision with Obstacle Detection, Haptic Feedback & Emergency SOS

---

Ramesh Kumar<sup>1</sup>, Sanjay Dhanka<sup>2\*</sup>, Manish Kumar Singla<sup>3</sup>, Rajveer Saini<sup>4</sup>, Parth  
Bhandari<sup>5</sup>

<sup>1</sup>*Department of Electronics Communication and Engineering, Manipal University Jaipur,  
Jaipur, Rajasthan, India,*

<sup>2</sup>*Department of Electrical Engineering, Graphic Era Deemed to be University, Clement  
Town, Dehradun, India,*

<sup>3</sup>*Department of Biosciences, Saveetha School of Engineering, Saveetha Institute of  
Medical and Technical Sciences, Chennai, India-602105,*

<sup>4,5</sup>*Chitkara University Institute of Engineering & Technology, Chitkara University,  
Punjab, India,*

<sup>1</sup>*rameshkumarmeena@gmail.com, \*sanjaykumar506070@gmail.com,*

<sup>3</sup>*msingla0509@gmail.com, \*rajveer1024.be23@chitkara.edu.in,*

<sup>5</sup>*parth1009.be23@chitkara.edu.in*

**\*Corresponding Author**

## Abstract

Echo Vision is an IoT-based wearable assistive device designed to enhance navigation, safety, and independence for visually impaired individuals. The system integrates embedded IoT (Internet of things) technologies into a smart cap, utilizing ultrasonic sensors for obstacle detection and an ADXL345 accelerometer to monitor head movement and tilt, enabling contextual awareness. Environmental data is translated into real-time feedback through tactile (vibration motors) and auditory (buzzers) alerts, ensuring intuitive user interaction. The heart of the system such as the ESP8266, IoT module enables wireless connectivity, facilitating seamless communication with a dedicated mobile app.

**Keywords.** Echo Vision, IoT, GPS, SOS, Wearable Assistive Device.

## 1. INTRODUCTION

In today's world, millions of visually impaired individuals face daily challenges in navigating their surroundings safely and independently. Traditional aids like white canes and guide dogs, while helpful, have limitations canes are restricted to detecting obstacles only at ground level, and guide dogs require extensive training and are not affordable or accessible for everyone [1]. This lack of reliable, real-time environmental awareness exposes visually impaired people to risks such as tripping, collisions, or getting lost,

All Open Access articles are peer-reviewed, distributed under the Creative Commons Attribution-Non Commercial 4.0 International

particularly in unfamiliar or crowded urban settings. Moreover, in emergency situations, visually impaired individuals may find it difficult to communicate their location quickly, delaying critical assistance. With limited access to affordable, tech-driven assistive solutions, there remains a significant gap in empowering this segment of the population through modern innovation [2]. It's amazing how much wearable technology and integrated systems are changing healthcare and making life easier for people with disabilities. One really important area where this makes a difference is in helping people who are visually impaired. Right now, getting around can be a big obstacle for people with visual impairments, especially in places that were not built with their needs in mind. While tools like white canes and guide dogs are useful, they have their drawbacks. For example, white canes can't detect obstacles at head height, and both require physical effort. Guide dogs are also expensive to get and maintain [3-4].

## **2. HARDWARE & SOFTWARE**

This section outlines the hardware components, software tools, and implementation framework of our wearable assistive technology project, Echo Vision: Auditory Vision for the Blind. The project integrates sensor-based obstacle detection, motion tracking, tactile alerts, and real-time GPS communication into a compact, wearable system. The core idea is to enhance navigation for visually impaired users, powered by the ESP8266 microcontroller and supported by various sensors and IoT tools. This chapter also includes block diagrams, circuit diagrams, pin diagrams, and flowcharts to explain the structure and logic of the project.

## **3. SOFTWARE TOOLS & LIBRARIES**

The Arduino IDE (Integrated Development Environment). This is our main workspace for writing the instructions and code that tell the ESP8266 NodeMCU (the brain of the device) what to do. For real-time monitoring and control, we rely on the Blynk platform. This clever tool helps us create the mobile app that lets caregivers keep an eye on the user's status from a distance. It's all about making sure help is always just a tap away, enhancing safety and peace of mind.

Emergency features are automated through Macro Droid, which triggers smartphone actions, such as sending the user's live location via email and Telegram bot when the SOS button is pressed. Key libraries include ESP8266WiFi.h and WiFi ClientSecure.h for Wi-Fi connectivity, UniversalTelegramBot.h and ArduinoJson.h for Telegram notifications, and Adafruit\_ADXL345\_U.h with Wire.h for accelerometer data processing. Together, these components create a robust, interconnected IoT ecosystem for assistive navigation.

## **4. BLOCK AND CIRCUIT DIAGRAM**

The IoT Emergency Alert System integrates multiple hardware and software components to create a comprehensive assistive solution. At the sensor level, an HC-SR04 ultrasonic sensor detects obstacles, while an ADXL345 accelerometer monitors motion and tilt, and an SOS button triggers emergency alerts. These components connect to the ESP8266 microcontroller, which processes data and activates output devices like a buzzer and

vibration motor for user feedback while leveraging its built-in Wi-Fi module for connectivity, such as shown in Figure 1.




Figure 1. Block Diagram.

## 5. RESULTS AND DISCUSSION

The Echo Vision was successfully designed, developed, and tested as a wearable assistive system to help visually impaired individuals navigate their environment more safely and independently. The results from the implementation are promising and demonstrate that the device can perform real-time obstacle detection, fall monitoring, and emergency location sharing effectively, such as shown in Figure 3.




Figure 3. Final Echo Vision System.

## 6. CONCLUSION AND FUTURE SCOPE

The creation of Echo Vision: Auditory Vision for the Blind was a learning experience, and not only regarding the technical aspects of the creation of assistive wearable technology, but also regarding the significant social change that it can help to create. The primary objective was to assist the people with visual impairments to be more autonomous and have access to the surrounding world. This was achieved through the integration of sensors, real-time alerts as well as IoT.

## 7. REFERENCES

- [1] Farooq, M. S., Shafi, I., Khan, H., Díez, I. D. L. T., Breñosa, J., Espinosa, J. C. M., & Ashraf, I. (2022). IoT enabled intelligent stick for visually impaired people for obstacle recognition. *Sensors*, 22(22), 8914.
- [2] Kumar, A. R., Sanjay, K., & Praveen, M. (2023, December). EchoGuide: Empowering the Visually Impaired with IoT-Enabled Smart Stick and Audio Navigation. In *2023 2nd International Conference on Automation, Computing and Renewable Systems (ICACRS)* (pp. 1770-1774). IEEE.
- [3] Sinha, R., Thakur, P., Gupta, S. et al. Development of lightweight intrusion model in Industrial Internet of Things using deep learning technique. *Discov Appl Sci* 6, 346 (2024). <https://doi.org/10.1007/s42452-024-06044-4>
- [4] N. Rawat, P. Thakur, A. Dixit, K. Charu and S. Goyal, "Grey Wolf Optimisation Based Modified Parameter Estimation Technique of Solar PV," 2024 IEEE Third International Conference on Power Electronics, Intelligent Control and Energy Systems (ICPEICES), Delhi, India, 2024, pp. 755-760, doi: